



**SPIB.org -- December 2017 Roster  
LUMBER**

Last Updated: 12-01-2017

**ALABAMA**

**Austell Forest Products Inc (442)**

Gordo, AL

**Main Phone:** 205-364-8256

**FAX:** 205-364-7349

**Products**

2" Dimension                      Heat Treatment

**Boozer Laminated Beam (652)**

Anniston, AL

**Main Phone:** 256-237-2875

**FAX:** 256-237-2870

**Products**

Finger Jointed                      Glued Laminate

**Canfor Southern Pine-Fulton (143f)**

Fulton, AL

**Main Phone:** (334)636-4424

**FAX:** (334)636-7101

**Contact:** Dennis Drinkard  
**Email:** ddrinkard@scotchlumber.com

**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Boards	Export - Boards	Export - Saps
Heat Treatment	MSR	Prime	Radius Edge Decking
Studs			

**Canfor Southern Pine-Jackson (143j)**

Jackson, AL

**Main Phone:** (251)246-8500

**Products**

2" Dimension                      Heat Treatment

**Canfor Southern Pine-Mobile (143)**

Mobile, AL

**Main Phone:** (251)457-6872**FAX:** (251)452-7110**Contact:** Bob Anderson**Sales Phone:** (251)457-6872**Sales Fax:** (251)452-7159**Email:** bob@gulflumber.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Export - Saps

Heat Treatment

MSR

Radius Edge Decking

Scaffold Plank Rough

**Everwood Treatment Company, Inc. (104)**

Spanish Fort, AL

**Main Phone:** 251-626-2080**FAX:** 251-626-7544**Garrison Bros Lbr Co (558)**

Eufaula, AL

**Main Phone:** (334)687-5778**FAX:** (334)687-4343**Contact:** Frankie Garrison**Drying Methods**

Air Dried

**Products**

Boards

Radius Edge Decking

**Garrison Specialty Wood Prods Inc (559)**

Eufaula, AL

**Main Phone:** (334)703-5064**Contact:** Ed Garrison**Email:** garrisonspeci849@bellsouth.net**Drying Methods**

Kiln Dried

**Georgia-Pacific Corp (435)**

Belk, AL

**Main Phone:** (205)932-3243**FAX:** (205)932-4206**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Export - Boards	Finish	Heat Treatment
Prime			

**Harrigan Lbr Co Inc (801)**

Monroeville, AL

**Main Phone:** (251)575-4821**FAX:** (251)575-7271**Contact:** Gary Rice**Sales Phone:** (251)575-3292**Email:** grice@harriganlumber.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension	3" & 4" Dimension	Heat Treatment
--------------	-------------------	----------------

**Lassiter Lumber LLC (099)**

Silas, AL

**Main Phone:** (251)542-9211**FAX:** (251)542-9754**Contact:** Gene Kesling**Email:** genekesling@yahoo.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension	3" & 4" Dimension	Boards	Export - Boards
Export - Timbers	Finish	Heat Treatment	Pattern Stock
Scaffold Plank Dressed	Scaffold Plank Rough		

**Timbers Dressed:**

Max Len: 20 ft; Max Size: 12 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 12 in

**Lassiter Lumber LLC-Millry (099M)**

Millry, AL

**Main Phone:** (251)846-2520**FAX:** (251)846-2810**Contact:** Charlotte Downey**Email:** mmc@millry.net**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Boards	Export - Boards	Finish
Heat Treatment			

**Littrell Bros. Lumber Co., Inc. (615)**

Vinemont, AL

**Main Phone:** 256-739-4471**Contact:** Allan  
**Email:** lblwood@yahoo.com**FAX:** 256-739-6432**Drying Methods**

Air Dried

**Preservatives**

Copper Azole

**M C Dixon Lbr Co Inc (004)**

Eufaula, AL

**Main Phone:** (334)687-8204**Contact:** Bob Dixon  
**Sales Phone:** (877)898-7020  
**Email:** b.dixon@dixonlumber.com**FAX:** (334)687-8208**Drying Methods**

Kiln Dried

**Timbers Dressed:**

Max Len: 12 ft; Max Size: 6 in

**Timbers Rough:**

Max Len: 12 ft; Max Size: 6 in

**McShan Lbr Co Inc (781)**

McShan, AL

**Main Phone:** (205)375-6277**Contact:** Dina Fuller  
**Email:** dina@mcshanlumber.com**FAX:** (205)375-2773**Drying Methods**

Kiln Dried

**Products**

Boards	Export - Boards	Export - Saps	Finish
Pattern Stock	Prime	Radius Edge Decking	

**P & M Lumber (355)**

Carrollton, AL

**Main Phone:** 205-367-8141**Products**

2" Dimension	Boards	Export - Boards	Export - Saps
Heat Treatment			

**Phenix Lumber Co. (048)**

Phenix City, AL

**Main Phone:** 334-298-3659**FAX:** 334-297-0556**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      3" &amp; 4" Dimension                      Heat Treatment

**Pre-Cut Lumber LLC (751)**

Gordo, AL

**Products**

2" Decking                      3" &amp; 4" Dimension                      Heat Treatment

**Structural Wood Systems (233)**

Greenville, AL

**Main Phone:** (334)382-6534**FAX:** (334)382-4250**Contact:** Steve Bush**Email:** steve@structuralwood.com**Drying Methods**

KDAT                      Kiln Dried

**Preservatives**

Other

**Products**

2" Decking                      Finger Jointed                      Glued Laminate

**Swift Lbr Inc (300)**

Atmore, AL

**Main Phone:** (251)368-8801**Phone:** (251)368-8800**FAX:** (251)368-4491**Contact:** Mark Rodgers**Sales Phone:** (251)368-8801**Sales Fax:** (251)446-8512**Email:** markr@swiftlumber.com**Drying Methods**

Kiln Dried

**Products**

2" Decking	2" Dimension	3" & 4" Dimension	Boards
Export - Boards	Export - Saps	Export - Timbers	Finish
Heat Treatment	Pattern Stock	Piles	Poles
Posts	Radius Edge Decking	Wood Packing Dunnage	

**T R Miller Mill Co Inc (67)**

Brewton, AL

**Main Phone:** (251)867-4331**Contact:** Robbie Floyd**FAX:** (251)867-6882**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Boards	Export - Saps	Finish
Heat Treatment	MSR	Pattern Stock	Studs

**Taylor Made Lbr Co (742)**

Maplesville, AL

**Main Phone:** (334)366-2269**Contact:** Mike Reynolds**FAX:** (334)366-2177**Email:** info@taylormadeinc.com**Drying Methods**

Air Dried                      Kiln Dried

**Products**

2" Decking	2" Dimension	Boards	Heat Treatment
Pattern Stock	Radius Edge Decking	Scaffold Plank Rough	Studs
Wood Packing Materials			

**TwoRiversLumber (TRL)**

Demopolis, AL

**Main Phone:** 334-654-8077**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Heat Treatment	Prime
--------------	----------------	-------

**West Fraser (95)**

Opelika, AL

**Main Phone:** (334)749-6281**FAX:** (334)742-9979**Drying Methods**

Kiln Dried

**Products**

2" Dimension	3" & 4" Dimension	Boards	Heat Treatment
--------------	-------------------	--------	----------------

**Timbers Dressed:**

Max Len: 20 ft; Max Size: 6x6 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 6x6 in

**WestRock - Cottonton Sawmill (656)**

Cottonton, AL

**Main Phone:** 334-855-5900**FAX:** 334-855-2245**Drying Methods**

Kiln Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

Heat Treatment

**Timbers Dressed:**

Max Len: 16 ft; Max Size: 6x6 in

**Timbers Rough:**

Max Len: 16 ft; Max Size: 6x6 in

**ARKANSAS****Anthony Timberlands Inc (578)**

Malvern, AR

**Main Phone:** (501)337-7551**FAX:** (501)467-3564**Contact:** Jeff Turpin**Sales Phone:** (870)245-3000**Sales Fax:** (870)245-3462**Email:** Jturpin@anthonytimberlands.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Radius Edge Decking

**Anthony Timberlands Inc (553)**

Bearden, AR

**Main Phone:** (870)687-2246**FAX:** (870)687-3712**Contact:** Jeff Turpin**Sales Phone:** (870)245-3000**Sales Fax:** (870)245-3462**Email:** jturpin@anthonytimberlands.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Boards

Export - Boards

Export - Saps

Export - Timbers

Heat Treatment

Prime

Radius Edge Decking

**Timbers Dressed:**

Max Len: 20 ft; Max Size: 6x6 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 12x12 in

**Ashcraft Wood Products, Inc. (282)**

Warren, AR

**Main Phone:** (870)226-6739**FAX:** (870)226-7859**Drying Methods**

Kiln Dried

**Products**

Boards

Finish

Glued Laminate

**Caddo River Forest Products, LLC (299)**

Glenwood, AR

**Main Phone:** 870-356-4846**Products**

2" Decking	2" Dimension	3" & 4" Dimension	Heat Treatment
MSR	Prime	Radius Edge Decking	

**Canfor Southern Pine-Urbana (674)**

El Dorado, AR

**Main Phone:** 870-962-3291**Contact:** Derek Ratchford**FAX:** 870-962-3320**Email:** Derek.Ratchford@canfor.com**Products**

2" Dimension	Heat Treatment	MSR	Prime
--------------	----------------	-----	-------

**Custom Lumber Work Inc. (322)**

Murfreesboro, AR

**Main Phone:** 870-285-3322**Contact:** Doc Ward**FAX:** 870-285-2396**Products**

Heat Treatment

**Deltic Timber Corp (404)**

Ola, AR

**Main Phone:** 479-489-5223**Contact:** Steve Mason**FAX:** (501)489-5170**Sales Phone:** (870)881-6485**Sales Fax:** (870)881-6460**Email:** steve\_mason@deltic.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension	3" & 4" Dimension	Heat Treatment	MSR
--------------	-------------------	----------------	-----



**Deltic Timber Corp (434)**

Waldo, AR

**Main Phone:** (870)693-5555**Contact:** Tommy Down**FAX:** (870)693-5323**Sales Phone:** (870)881-6485**Sales Fax:** (870)881-6460**Email:** tommy\_down@deltic.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Heat Treatment

MSR

Radius Edge Decking

**Georgia Pacific Corp Gurdon (860)**

Gurdon, AR

**Main Phone:** (870) 353-4474**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Heat Treatment

Prime

Radius Edge Decking

**H G Toler & Son Lbr Co Inc (421)**

Leola, AR

**Main Phone:** (870)765-2211**Contact:** Todd Riggan**FAX:** (870)765-2275**Drying Methods**

Kiln Dried

**Products**

Boards

Finish

Heat Treatment

**Interfor Monticello (IF09)**

Monticello, AR

**Main Phone:** 870-367-9762**FAX:** 870-367-3309**Drying Methods**

Kiln Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

Boards

**Potlatch Corp (146)**

Warren, AR

**Sales Phone:** (870)226-1140**Sales Fax:** (870)226-1125**Main Phone:** (870)226-1121**Phone:** (870)226-1120**FAX:** (870)226-1125**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Export - Timbers                      Heat Treatment                      MSR

**Ray White Lbr Co (949)**

Sparkman, AR

**Contact:** Donny White**Sales Phone:** (870)678-2277**Sales Fax:** (870)678-2522**Email:** dwhite@raywhitelumber.com**Main Phone:** (870)226-2277**Phone:** (870)678-2277**FAX:** (870)678-2522**Drying Methods**

Kiln Dried

**Products**

Boards                                      Export - Boards                                      Heat Treatment                                      Pattern Stock

**Victory Lumber LLC. (110)**

CAMDEN, AR

**Main Phone:** 870-231-9880**Products**

3" &amp; 4" Dimension                      Heat Treatment

**West Fraser (285)**

Russellville, AR

**Main Phone:** (501)968-4986**FAX:** (479)968-5281**Drying Methods**

Kiln Dried

**Products**2" Dimension                      3" & 4" Dimension                      Boards                      Finish  
Heat Treatment                      MSR                      Prime                      Radius Edge Decking

**West Fraser (South) Inc (25)**

Huttig, AR

**Main Phone:** (870)943-2211**Contact:** Mike Bonnette**FAX:** (870)943-2400**Sales Phone:** 901-620-4136**Email:** michaelbonnette@westfraser.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Finish

Prime

**Weyerhaeuser Co (72)**

Dierks, AR

**Main Phone:** (870)286-2193**Contact:** Ken Kennedy**Sales Phone:** (800)914-9771**Sales Fax:** (501)624-8323**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Heat Treatment

MEL

Prime

Studs

**FLORIDA****Great South Timber & Lbr Inc (072)**

Lake City, FL

**Main Phone:** (386)752-3774**Contact:** Roland Bales, Sales**FAX:** (386)752-1595**Sales Phone:** 386-752-1595**Email:** rolandbales@greatsouth.us**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Boards

Finish

MSR

**Pride Enterprises (889)**

Raiford, FL

**Main Phone:** (386)431-1912**Contact:** Tim Hannon, Sales**FAX:** (386)431-1520**Email:** www.pridefl.com or

thannon@prideenterprises.com

**Drying Methods**

Air Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

Boards

Scaffold Plank Rough

**Timbers Dressed:**

Max Len: 16 ft; Max Size: 12x12 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 8x8 in

**Spanish Trail Lumber LLC (401)**

Cypress, FL

**Main Phone:** (850)592-8512**Contact:** Ricky Baxley**FAX:** (850)592-2460**Sales Phone:** 850-592-8512**Email:** rick46sales@spanishtrail.blz**Drying Methods**

KDAT Kiln Dried

**Products**

2" Dimension 3" &amp; 4" Dimension Finish Heat Treatment

Prime Studs

**SPIB 007 (007)**

Pensacola, FL

**Main Phone:** 850-434-2611**Drying Methods**

Kiln Dried

**Products**

2" Decking 2" Dimension 3" &amp; 4" Dimension Glued Laminate

Heat Treatment MEL Prime Radius Edge Decking

Wood Packing Dunnage Wood Packing Materials

**Timberwood, LLC. (818)**

Lake Panasoffkee, FL

**Main Phone:** 352-516-4362**Contact:** Ward Alan Cheek**FAX:** 352-751-6894**Email:** walancheek@gmail.com**Products**

2" Dimension

**West Fraser Inc. (712)**

Lake Butler, FL

**Main Phone:** 904-290-6460**Contact:** David Roberts**FAX:** (386)496-3057**Email:** davidroberts@gilmanbp.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

**West Fraser Inc. (710)**

Maxville, FL

**Main Phone:** (904)289-7261**Contact:** Philip Skoropat, Sales**FAX:** (904)289-7736**Sales Phone:** (904)548-1000**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Boards                      Export - Boards                      Heat Treatment

MEL

**West Fraser Inc. (701)**

Perry, FL

**Main Phone:** 850-601-2560**Contact:** Cullen Adair**FAX:** (850)584-7880**Sales Phone:** 912-576-0302**Email:** cullenadair@gilmanbp.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Prime

**Timbers Dressed:**

Max Len: 16 3 ft; Max Size: 4 x 4 in

**Timbers Rough:**

Max Len: 16 ft; Max Size: 4 x 4 in

**GEORGIA****Babb Lumber Company (505)**

Ringgold, GA

**Main Phone:** 706-935-2411**Email:** lumber@babb.com**FAX:** 706-965-6713**Drying Methods**

Air Dried                      Kiln Dried

**Products**

2" Dimension                      Boards                      Pattern Stock                      Radius Edge Decking

**C. P. Wilbanks Lumber Company (842)**

Clarksville, GA

**Main Phone:** 706-754-2021**FAX:** 706-754-6756**Drying Methods**

Air Dried

**Canfor Southern Pine-Moultrie (205)**

Moultrie, GA

**Main Phone:** (229)985-6996**Contact:** Steve Sutton**FAX:** (229)890-6050**Email:** steve.sutton@canfor.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Finish                      MSR                      Prime

**Canfor Southern Pine-Thomasville (446)**

Thomasville, GA

**Main Phone:** (229)226-0611**Contact:** Wes Grant**FAX:** (229)226-4297**Email:** wes.grant@canfor.com**Drying Methods**

Kiln Dried

**Products**

Boards                      Export - Boards                      Prime

**Georgia-Pacific Corp (210)**

Warrenton, GA

**Main Phone:** (706)465-3236**FAX:** (706)465-9731**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Boards                      Finish                      Heat Treatment

Prime

**Georgia-Pacific Wood Products South LLC (77r)**

Rome, GA

**Main Phone:** (706)236-5401**Contact:** Mike Warren, Sales**FAX:** (706)291-8776**Sales Phone:** (800)231-6060**Email:** mikewarren@templeinland.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      3" &amp; 4" Dimension                      Boards                      Finish

Heat Treatment                      MSR                      Radius Edge Decking

**Interfor Baxley Division (IF01)**

Baxley, GA

**Main Phone:** 912-367-3671**Interfor Eatonton Division (IF02)**

Eatonton, GA

**Main Phone:** 706-485-4271**Drying Methods**

Kiln Dried

**Products**

2" Dimension Prime

**Interfor Meldrim Division (IF08)**

Meldrim, GA

**Main Phone:** 912-748-7310**FAX:** 912-584-7099**Contact:** Margaret Knox**Sales Phone:** 770-282-3250**Email:** margaret.knox@interfor.com**Drying Methods**

Kiln Dried

**Products**2" Dimension Boards Heat Treatment MSR  
Prime**Interfor Perry Division 05 (IF05)**

Perry, GA

**Main Phone:** 478-988-3800**FAX:** 478-987-5773**Contact:** Donna Whitaker**Sales Phone:** 770-282-3190**Email:** sypsales@interfor.com**Drying Methods**

Kiln Dried

**Products**2" Dimension Boards Export - Boards Export - Saps  
Finish Heat Treatment MSR Pattern Stock  
Radius Edge Decking Wood Packing Dunnage

**Interfor Preston Division 06 (IF06)**

Preston, GA

**Main Phone:** 229-828-4265**Contact:** Donna Whitaker**Phone:** 229-828-3555**Sales Phone:** 770-282-3190**FAX:** 229-828-4370**Email:** sypsales@interfor.com**Drying Methods**

Kiln Dried

**Preservatives**

CCA

**Products**

2" Dimension

Boards

Export - Boards

Export - Saps

Finish

Heat Treatment

MSR

Pattern Stock

Radius Edge Decking

**Interfor Swainsboro Division (IF03)**

Swainsboro, GA

**Main Phone:** 912-367-1571**Drying Methods**

Kiln Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

MSR

**Interfor Thomaston Division (IF04)**

Thomaston, GA

**Main Phone:** 706-648-490370**Contact:** Rick Ross**FAX:** 706-646-3534**Sales Phone:** 770-282-3190**Email:** rick.ross@interfor.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Heat Treatment

Prime

**Jordan Forest Products LLC (444b)**

Barnesville, GA

**Main Phone:** (770)358-2440**Contact:** Robert Harris**FAX:** 910-439-8105**Sales Phone:** 910-439-8152**Email:** rharris@jordanlumber.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Heat Treatment

Prime

Radius Edge Decking



**Lincoln Lumber Co. (96G)**

Union Point, GA

**Main Phone:** 706-486-0061**FAX:** 706-486-0062**Products**

Heat Treatment                      Wood Packing Dunnage

**W D Cline & Sons Lbr Co (601)**

Dalton, GA

**Main Phone:** (706)259-3241**FAX:** (706)259-4337**Contact:** Conrad Cline, Sales  
**Email:** wdcline@windstream.net**Drying Methods**

Air Dried                              Kiln Dried

**Products**2" Dimension                      Boards                              Finish                              Pattern Stock  
Prime                              Radius Edge Decking              Wood Packing Dunnage      Wood Packing Materials**Timbers Dressed:**  
Max Len: 20 ft; Max Size: 6 X 12 in**Timbers Rough:**  
Max Len: 20 ft; Max Size: 16 x 16 in**West Fraser Inc. (720)**

Blackshear, GA

**Main Phone:** (912)449-6605**FAX:** (912)449-3247**Contact:** Philip Skoropat, Sales  
**Sales Phone:** (904)548-1000**Drying Methods**

Kiln Dried

**Products**2" Dimension                      Boards                              Export - Boards                      Heat Treatment  
MEL**West Fraser Inc. (700)**

Dudley, GA

**Main Phone:** (478)676-3692**FAX:** (478)676-4142**Contact:** Philip Skoropat, Sales  
**Sales Phone:** (904)548-1000**Drying Methods**

Kiln Dried

**Products**2" Dimension                      3" & 4" Dimension              Boards                              Export - Boards  
Heat Treatment                      Prime

**West Fraser Inc. (711)**

Fitzgerald, GA

**Main Phone:** (229)423-8761**Contact:** Philip Skoropat, Sales**FAX:** (229)423-3083**Sales Phone:** (904)548-1000**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Boards	Export - Boards	Heat Treatment
MEL	Prime		

**West Fraser Inc. Specialty (721)**

Blackshear, GA

**Main Phone:** 912-208-2780**Contact:** Steve Baxley**Email:** stephenbaxley@gilmanbp.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Finger Jointed
--------------	----------------

**INDIANA****Graber Post Buildings (988)**

Montgomery, IN

**Main Phone:** 812-636-7355**FAX:** 812-636-4936**Products**

Finger Jointed

**LOUISIANA****Georgia-Pacific Wood Products South LLC (77LL)**

DeQuincy, LA

**Main Phone:** (337)786-1300**Contact:** Mike Warren**FAX:** (337)786-1342**Sales Phone:** (800)262-5512**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Boards	Finish	Heat Treatment
MSR			

**Jenkins Lbr Co LLC (933)**

Franklinton, LA

**Main Phone:** (985)796-3028**Contact:** Huey Jenkins Jr., Sales**FAX:** (985)796-9002**Sales Phone:** 985-796-3028**Email:** jenkinslumberco.llc@hughes.net**Drying Methods**

Kiln Dried

**Products**

2" Decking	2" Dimension	3" & 4" Dimension	Boards
Finish	Heat Treatment	Pattern Stock	Posts

Wood Packing Dunnage

**Timbers Dressed:**

Max Len: 12 X 12 X 30 ft; Max Size: 12 X 12 X 30 in

**Timbers Rough:**

Max Len: 4 X 12 X 30 ft; Max Size: 4 X 12 X 30 in

**Leesville Lbr Co (142)**

Leesville, LA

**Main Phone:** (337)238-1387**Contact:** Viola Medley**FAX:** (337)239-3984**Sales Phone:** 337-238-1387**Drying Methods**

Kiln Dried

**Products**

2" Dimension

**Mid-States Wood Pres Inc (504)**

Simsboro, LA

**Main Phone:** (318)247-3741**Contact:** Gerry Brucia, Sales**FAX:** (318)247-8916**Drying Methods**

Kiln Dried

**Products**

2" Decking	Boards	Export - Boards	Finish
Pattern Stock	Radius Edge Decking		

**West Fraser (South) Inc (24)**

Joyce, LA

**Main Phone:** (318)648-3300**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Export - Timbers	Heat Treatment	MSR
--------------	------------------	----------------	-----

**Weyerhaeuser Co Dodson Sawmill (163)**

Dodson, LA

**Main Phone:** (318)628-6901**Contact:** Ken Kennedy, Sales  
**Sales Phone:** (800)914-9771  
**Sales Fax:** (501)624-8323**Drying Methods**

Kiln Dried

**Products**2" Dimension                      Boards                                      Export - Saps                                      Heat Treatment  
MSR**Weyerhaeuser Co Zwolle Sawmill (790)**

Zwolle, LA

**Main Phone:** (318)645-6124**FAX:** (318)645-7434**Contact:** Ken Kennedy, Sales  
**Sales Phone:** (800)914-9771  
**Sales Fax:** (501)624-8323**Drying Methods**

Kiln Dried

**Products**

2" Dimension                                      Heat Treatment

**MICHIGAN****Midwest Timber (515), Inc. (515)**

Edwardsburg, MI

**Main Phone:** (269)663-3255**FAX:** (269)663-5315**Contact:** Dick Opperman  
**Email:** dickopperman@midwesttimber.com**Drying Methods**

Kiln Dried

**Products**2" Dimension                      Heat Treatment                                      MSR                                      Radius Edge Decking  
Scaffold Plank Dressed                      Studs                                      Wood Packing Dunnage                      Wood Packing Materials**Timbers Dressed:**

Max Len: 32 ft; Max Size: 12 X 12 in

**Timbers Rough:**

Max Len: 32 ft; Max Size: 12 X 12 in

**MISSISSIPPI****Barge Forest Products Co (99)**

Macon, MS

**Main Phone:** (662)726-5841**FAX:** (662)726-2431**Contact:** Ray Penick, Sales  
**Sales Phone:** (662)726-5841  
**Sales Fax:** (662)726-2431  
**Email:** rayp@bfpc.com**Drying Methods**

Kiln Dried

**Products**2" Dimension                      Boards                                      Export - Boards                                      Export - Saps  
Export - Timbers                      Finish                                      Heat Treatment                                      Prime**Timbers Dressed:**

Max Len: 30 ft; Max Size: 6x12 in

**Timbers Rough:**

Max Len: 30 ft; Max Size: 12x12 in

**Biewer Sawmill-Newton, LLC. (111)**

Newton, MS

**Main Phone:** 601-357-6001**FAX:** 601-357-6010**Products**

2" Dimension	3" & 4" Dimension	Heat Treatment	MSR
Prime			

**Canfor Southern Pine-Hermanville (CSP-H)**

Hermanville, MS

**Main Phone:** 601-535-2205**FAX:** 601-535-2396**Contact:** Bob Carpenter**Email:** bob.carpenter@canfor.com**Products**

2" Dimension	Heat Treatment
--------------	----------------

**Franklin Lumber Company (555)**

Bude, MS

**Email:** lbrman@telepak.net**Main Phone:** (601)384-5826**FAX:** (601)384-5333**Drying Methods**

Kiln Dried

**Products**

2" Dimension	3" & 4" Dimension	Boards	Export - Boards
Export - Fitches	Export - Timbers	Heat Treatment	Radius Edge Decking
Scaffold Plank Dressed			

**Timbers Dressed:**

Max Len: 28 ft; Max Size: 16x16 in

**Timbers Rough:**

Max Len: 24 ft; Max Size: 6x12 in

**Georgia-Pacific Corp (425)**

Taylorsville, MS

**Main Phone:** (601)785-4721**FAX:** (601)785-4801**Contact:** Alan Little**Sales Phone:** (404)652-6333**Drying Methods**

Kiln Dried

**Products**

3" & 4" Dimension	Heat Treatment	Studs
-------------------	----------------	-------

**Hankins Inc - Ripley (900)**

Ripley, MS

**Main Phone:** (662)837-9286**Contact:** J D Hankins II, Sales**Sales Phone:** (888)837-9286**Email:** jdh@hankinsinc.com**FAX:** (662)837-4190**Drying Methods**

Kiln Dried

**Products**

2" Decking

2" Dimension

Boards

Pattern Stock

Wood Packing Materials

**Timbers Dressed:**

Max Len: 24 ft; Max Size: 6x12 in

**Timbers Rough:**

Max Len: 24 ft; Max Size: 6x12 in

**Hankins Lbr Co Inc (731)**

Grenada, MS

**Main Phone:** 662-294-3000**Contact:** Jerry Pegg**Sales Phone:** 662-294-3000**Email:** jerrypegg@hankinslumber.com**FAX:** (662)226-6404**Drying Methods**

Kiln Dried

**Products**

2" Dimension

**Jack Batte & Sons Inc (567)**

Forest, MS

**Main Phone:** (601)536-3736**Contact:** Randy Batte**Sales Phone:** (601)536-3023**Sales Fax:** (601)363-3748**Email:** randy@battelumber.com**FAX:** (601)536-3748**Drying Methods**

Kiln Dried

**Products**

Export - Timbers

Heat Treatment

Radius Edge Decking

**Timbers Dressed:**

Max Len: 40 ft; Max Size: 20 X 20 in

**Timbers Rough:**

Max Len: 32 ft; Max Size: 8 X 12 in

**Magnolia Lbr Co Inc (977)**

Magnolia, MS

**Main Phone:** (601)783-5368**Contact:** Bruce Clanton, Sales**FAX:** (601)783-5287**Drying Methods**

Kiln Dried

**Products**

Boards

Export - Boards

Finish

Heat Treatment

**Purvis Forest Prods Inc (350)**

Purvis, MS

**Main Phone:** (601)794-8593**Contact:** Ryan Hudson**FAX:** (601)794-2035**Email:** hudson@purvisforestproducts.com**Drying Methods**

KDAT

**Products**

2" Dimension	Boards	Export - Boards	Export - Saps
Finish	MSR	Pattern Stock	Scaffold Plank Dressed
Scaffold Plank Rough			

**Shuqualak Lbr Co Inc (698)**

Shuqualak, MS

**Main Phone:** (662) 793-4528**Contact:** Nowell Flake, Sales**FAX:** (662) 793-4568**Sales Phone:** 662-793-4528**Email:** nowell@shuqualak.com;  
johanna@shuqualak.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Heat Treatment	MSR	Radius Edge Decking
Scaffold Plank Dressed			
Scaffold Plank Rough			

**Southeastern Timber Products LLC (767)**

Ackerman, MS

**Main Phone:** 662-285-3291**Sales Phone:** 662-285-5121**FAX:** 662-285-6724**Drying Methods**

Kiln Dried

**Products**

2" Dimension	Heat Treatment	Radius Edge Decking
--------------	----------------	---------------------

**Timbers Dressed:**

Max Len: 20 ft; Max Size: 4 X 6 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 4 X 6 in

**Tri-State Lbr Co (815)**

Fulton, MS

**Main Phone:** (662)862-2125**Contact:** Larry Homan**FAX:** (662)862-4900**Sales Phone:** 662-862-2125**Email:** lhoman@tristatelumber.net**Drying Methods**

Kiln Dried

**Preservatives**

CCA	Copper Azole
-----	--------------

**Products**

3" & 4" Dimension	Heat Treatment	Wood Packing Dunnage
-------------------	----------------	----------------------

**Timbers Dressed:**

Max Len: 28 ft; Max Size: 8x8 in

**Timbers Rough:**

Max Len: 30 ft; Max Size: 12 X 12 in

## NORTH CAROLINA

### Braxton Sawmill Inc (725)

Graham, NC

**Main Phone:** (336)376-6798

**Contact:** Wanda Braxton

**FAX:** (336)376-8411

#### Drying Methods

Air Dried

Kiln Dried

#### Products

2" Dimension

Boards

Heat Treatment

### Canfor Southern Pine-Graham (130)

Graham, NC

**Main Phone:** 336-376-5801

**FAX:** 336-376-5858

#### Drying Methods

Kiln Dried

#### Products

2" Dimension

Heat Treatment

MSR

Prime

### Carolina Wood Enterprises Inc. (692)

Siler City, NC

**Main Phone:** (919)663-2323

**Contact:** Van Culberson

**FAX:** (919)663-2305

**Email:** carolinawoodgroup@gmail.com

#### Drying Methods

Kiln Dried

#### Products

Boards

Finish

Radius Edge Decking

#### Timbers Dressed:

Max Len: 8 ft; Max Size: 6 X 6 in

#### Timbers Rough:

Max Len: 16 ft; Max Size: 6x6 in

### F L Turlington Lbr Co Inc (687)

Clinton, NC

**Main Phone:** (910)592-7197

**Contact:** Tom Turlington Jr., Sales

**FAX:** (910)592-4199

**Email:** bilt@turlingtonlbr.com

#### Drying Methods

Kiln Dried

#### Products

3" & 4" Dimension

Boards

Export - Boards

Finish

Heat Treatment

Pattern Stock

Radius Edge Decking



**Industrial Wood Prods (279)**

Climax, NC

**Main Phone:** (336)333-5959**Contact:** John Page**Email:** jpage@industrialwood.com**Drying Methods**

Air Dried

Kiln Dried

**Products**

2" Decking

2" Dimension

3" &amp; 4" Dimension

Boards

Finish

Heat Treatment

Pattern Stock

Radius Edge Decking

Wood Packing Dunnage

**Industrial Wood Products Ramsuer (279r)**

Ramseur, NC

**Main Phone:** 336-333-5959**FAX:** 336-685-4260**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Heat Treatment

**Jerry G Williams & Sons Inc (114)**

Smithfield, NC

**Main Phone:** (919)934-4115**FAX:** (919)344-4956**Contact:** John Fox**Sales Phone:** 919-934-4115**Email:** johnfox@jgwllumber.com**Drying Methods**

Kiln Dried

**Products**

Boards

Radius Edge Decking

**Jordan Lbr & Supply Inc (444)**

Mt. Gilead, NC

**Main Phone:** (910)439-8136**FAX:** (910) 439-8027**Contact:** Ellen Thompson, Sales**Sales Phone:** (910)439-8136**Email:** ethompson@jordanlumber.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Boards

Finish

Heat Treatment

Prime

Radius Edge Decking

**Keener Lumber Company, Inc. (461)**

Smithfield , NC

**Main Phone:** 919-934-1087**FAX:** 919-934-9999**Products**

2" Dimension                      Heat Treatment

**Lampe & Malphrus Lbr Co (443)**

Smithfield, NC

**Main Phone:** (919)934-6152**FAX:** (919)934-0134**Contact:** Jeff Baumgartner, Sales**Sales Phone:** (919)934-6193**Drying Methods**

Kiln Dried

**Products**

Boards

Export - Boards

Export - Flitches

Export - Saps

Finish

Heat Treatment

Pattern Stock

Radius Edge Decking

Wood Packing Dunnage

**Laserwood LLC (444L)**

Biscoe, NC

**Main Phone:** 910-428-2574**FAX:** 910-439-8022**Products**

Wood Packing Materials

**Piedmont Hardwood Lbr Co Inc (795)**

Mount Pleasant, NC

**Main Phone:** (704) 436-9311**FAX:** (704) 436-2330**Contact:** Joe Stirewalt**Email:** piedmonthardwood@ctc.net**Drying Methods**

Air Dried

**Products**

Boards

**Precision Moulding & Woodworks Inc (636)**

New Bern, NC

**Main Phone:** 252-638-3850**Contact:** Bill Nelson  
**Email:** wnprecision@yahoo.com**FAX:** 252-638-1380**Drying Methods**

Kiln Dried

**Products**Heat Treatment                  Pattern Stock                  Prime                  Wood Packing Dunnage  
Wood Packing Materials**ScaffoldMart (348)**

Greenville, NC

**Main Phone:** 866-900-0983**Drying Methods**

Kiln Dried

**Products**

Scaffold Plank Dressed          Scaffold Plank Rough

**Shaver Wood Products, Inc. (272)**

Cleveland, NC

**Main Phone:** 704-278-9291**Contact:** Chad Shaver  
**Sales Phone:** 704-278-9291  
**Email:** swpjimbo@bellsouth.net**FAX:** 704-278-9304**Drying Methods**

Air Dried                  Kiln Dried

**Preservatives**

CCA                  Copper Azole

**Products**2" Dimension                  Heat Treatment                  Pattern Stock                  Plywood  
Poles                  Posts                  Radius Edge Decking                  Wood Packing Dunnage  
Wood Packing Materials**Timbers Dressed:**

Max Len: 20 ft; Max Size: 8 X 8 in

**Timbers Rough:**

Max Len: 20 - 26 ft; Max Size: 12 X 12 in

**Sipe Lbr Co (791)**

Taylorsville, NC

**Main Phone:** (828)632-4679**Contact:** Bobby Sipe**FAX:** (828)-632-1554**Drying Methods**

Air Dried

**Products**2" Dimension                  Boards                  Pattern Stock                  Radius Edge Decking  
Studs**Timbers Dressed:**

Max Len: 16 ft; Max Size: 12x12 in

**Timbers Rough:**

Max Len: 16 ft; Max Size: 12x12 in

**Toney Lbr Co (131)**

Louisburg, NC

**Main Phone:** (919)496-5711**Contact:** Max Steelman, Sales  
**Email:** ToneyLumber@yahoo.com**FAX:** (919)496-1239**Drying Methods**

Air Dried                      Kiln Dried

**Products**2" Dimension                      3" & 4" Dimension                      Boards                      Finish  
Heat Treatment                      Pattern Stock                      Radius Edge Decking**Troy Lumber Company (154)**

Troy, NC

**Main Phone:** 910-576-6111**FAX:** 910-576-2453**Drying Methods**

Kiln Dried

**Products**2" Dimension                      3" & 4" Dimension                      Boards                      Heat Treatment  
Prime**Warmack Lbr Co (664)**

Cove City, NC

**Main Phone:** (252)638-1435**Contact:** Alan Warmack, Sales  
**Sales Phone:** 252-259-6931  
**Email:** warmacklumber@gamil.com**FAX:** (252)638-1435**Drying Methods**

Kiln Dried

**Products**2" Dimension                      Export - Flitches                      Export - Saps                      Heat Treatment  
Prime                      Radius Edge Decking**Timbers Dressed:**

Max Len: 16 ft; Max Size: 8 X 8 in

**Timbers Rough:**

Max Len: 12x12 ft; Max Size: \_\_ in

**Weyerhaeuser Co (403)**

Plymouth, NC

**Main Phone:** (252)793-8898**Sales Phone:** (501)624-8248**FAX:** (252)793-8002**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Heat Treatment                      MEL                      MSR

**Weyerhaeuser Co Greenville Plant (2001)**

Ayden, NC

**Sales Phone:** (501)624-8248**Main Phone:** (252)746-7200**FAX:** (252)746-7213**Drying Methods**

Kiln Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

Heat Treatment

Prime

Radius Edge Decking

**Timbers Dressed:**

Max Len: 20 ft; Max Size: 12x12 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 12x12 in

**Weyerhaeuser Co New Bern Lumber (406)**

New Bern, NC

**Main Phone:** (252)633-7100**Contact:** Carole Aquilanti, Sales**Phone:** (252)633-7497**Sales Phone:** (501)624-8143**FAX:** (252)633-7721**Drying Methods**

Kiln Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

Heat Treatment

Studs

**OHIO****Ohio Timberland Prods (958)**

Stryker, OH

**Main Phone:** 800-730-7678**Contact:** Michael Burkholder, Sales**FAX:** (419)682-6310**Email:** mburkhol@yahoo.com**Products**

Finger Jointed

**OKLAHOMA****Weyerhaeuser Co (128)**

Idabel, OK

**Main Phone:** (580)286-9470**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Finish

Heat Treatment

MSR

Radius Edge Decking

## SOUTH CAROLINA

### Canfor Southern Pine-Camden (123)

Camden, SC

**Main Phone:** 803-425-1810

**Contact:** Ronnie Williams

**FAX:** 803-424-2825

**Email:** ronnie.williams@canfor.com

#### Drying Methods

Kiln Dried

#### Products

2" Dimension

3" & 4" Dimension

Export - Boards

Finish

Heat Treatment

MSR

Prime

### Canfor Southern Pine-Conway (025)

Conway, SC

**Main Phone:** 843-347-4288

**Contact:** Ernest Rabon

**FAX:** 843-349-3448

**Sales Phone:** 800-346-8675

**Email:** ernest.rabon@canfor.com

#### Drying Methods

Kiln Dried

#### Products

2" Dimension

Boards

Heat Treatment

MSR

### Canfor Southern Pine-Darlington (832)

Darlington, SC

**Main Phone:** 843-944-8111

**Contact:** Michael Chapman

**FAX:** 843-393-7376

**Email:** michael.chapman@canfor.com

#### Drying Methods

Kiln Dried

#### Products

2" Dimension

MSR

Prime

### Canfor Southern Pine-Marion (426)

Marion, SC

**Main Phone:** 843-423-1385

**Contact:** Mitchell Frye

**FAX:** 843-423-3475

**Sales Phone:** 843-236-9399

**Email:** mitchell.frye@canfor.com

#### Products

Finger Jointed

Pattern Stock

Studs

**Central Packaging & Crating, Inc. (864)**

Greenwood, SC

**Main Phone:** 864-229-5699**FAX:** 864-229-7501**Products**

Heat Treatment      Wood Packing Dunnage      Wood Packing Materials

**Charles Ingram Lbr Co Inc (341)**

Effingham, SC

**Main Phone:** (843)662-1483**FAX:** (843)667-8645**Drying Methods**

Kiln Dried

**Products**2" Dimension      3" & 4" Dimension      Boards      Finish  
Heat Treatment      Radius Edge Decking**Interfor Georgetown Division (IF07)**

Georgetown, SC

**Main Phone:** 843-546-6138**Drying Methods**

Kiln Dried

**Products**

2" Dimension      3" &amp; 4" Dimension      Prime      Wood Packing Dunnage

**Warren & Griffin Inc (525)**

Williams, SC

**Main Phone:** (803)562-2441**FAX:** (803)562-2021**Contact:** Paul Warren, Sales**Drying Methods**

Kiln Dried

**Products**Boards      Export - Boards      Finish      Heat Treatment  
Pattern Stock

## TEXAS

### Cal-Tex Lbr Co Inc (010)

Nacogdoches, TX

**Main Phone:** (936)564-6426

**Contact:** Joel Weaver, Sales

**Sales Phone:** 936-564-6426

**Email:** joelw@clemsalbr.com

**FAX:** (936)560-3888

#### Drying Methods

Kiln Dried

#### Products

2" Dimension

3" & 4" Dimension

Boards

Export - Boards

Export - Saps

Finish

Heat Treatment

Prime

### Clemsa Lbr Co (010C)

Pollok, TX

**Main Phone:** (936)564-6426

**Contact:** Gene Porter

**Sales Phone:** 936-564-6426

**Email:** genep@caltexlbr.com

**FAX:** (936)560-3888

#### Drying Methods

Kiln Dried

#### Products

2" Dimension

Export - Saps

Finish

Heat Treatment

### G D Edgar Lumber Company (519)

Hemphill, TX

**Main Phone:** 409-787-2452

**Contact:** Rich Felts

**Sales Phone:** 409-787-2452

**Email:** lumbermen@valornet.com

**FAX:** 409-787-3048

#### Drying Methods

Air Dried

Kiln Dried

#### Products

Radius Edge Decking

**Timbers Dressed:**

Max Len: 42 ft; Max Size: 24 X 24 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 6 X 12 in

### Georgia-Pacific Wood Prods South LLC (125)

Camden, TX

**Main Phone:** (936)398-2511

**Phone:** (936)398-7203

**FAX:** (936)398-7217

#### Drying Methods

Kiln Dried

#### Products

Finish

Heat Treatment

Studs



**Georgia-Pacific Wood Products South LLC (77)**

Diboll, TX

**Main Phone:** (936)829-1529

**Contact:** Denise Faulkner  
**Sales Phone:** 936-829-1237  
**Email:** denise.faulkner@gapac.com

**FAX:** (936)829-1527

**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Finger Jointed                      Heat Treatment                      MSR  
Prime

**Georgia-Pacific Wood Products South LLC (77p)**

Pineland, TX

**Main Phone:** (409)584-4226

**Contact:** Mike Warren, Sales  
**Sales Phone:** (800)231-6060

**FAX:** (409)584-4277

**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Heat Treatment                      Studs

**Lincoln Lumber (96)**

Jasper, TX

**Main Phone:** (409)384-2587

**Contact:** Mark Stone  
**Email:** mstone@abe-usa.com

**FAX:** (409)384-9500

**Drying Methods**

Kiln Dried

**Products**

2" Dimension                      Boards                      Heat Treatment                      Radius Edge Decking

**Lincoln Lumber Co. (96C)**

Conroe, TX

**Main Phone:** 936-539-4421

**FAX:** 936-756-5506

**Products**

Heat Treatment                      Wood Packing Dunnage                      Wood Packing Materials

**Lincoln Lumber Co. (96cc)**

Corrigan, TX

**Main Phone:** 936-398-2600**FAX:** 936-398-2614**Products**

Heat Treatment                      Wood Packing Dunnage

**Nix Forest Inds Inc (380)**

Timpson, TX

**Main Phone:** (936)254-2441**FAX:** (936)254-3887**Contact:** Milt Nix, Sales**Email:** nix@sat.net**Drying Methods**

Kiln Dried

**Products**

Boards                      Export - Boards                      Finish                      Heat Treatment

Pattern Stock                      Radius Edge Decking

**Ross Lumber, Ltd. (719)**

Timpson, TX

**Main Phone:** (936)254-2575**FAX:** (936)254-2177**Contact:** Debby Amos**Sales Phone:** 936-254-2575**Email:** rosslumber@sbcglobal.net**Drying Methods**

Kiln Dried

**Products**

Boards                      Finish                      Pattern Stock

**Snider Inds Inc (201)**

Marshall, TX

**Main Phone:** (903)938-9221**FAX:** (903)938-9967**Contact:** David Hanson, Sales**Sales Phone:** (903)938-9727**Sales Fax:** (903)938-9967**Email:** sales@sniderindustries.com**Drying Methods**

Kiln Dried

**Products**

Boards                      Finish                      Heat Treatment                      Pattern Stock

**Southern Forest Prods LLC (873)**

Bon Wier, TX

**Main Phone:** (409)397-4221**Contact:** Bruce Gorden, Sales**FAX:** (409)397-4880**Email:** office@sfp texas.com**Drying Methods**

Kiln Dried

**Products**

Finish

Heat Treatment

Radius Edge Decking

**Timbers Dressed:**

Max Len: 34 ft; Max Size: 8 X 8 in

**Timbers Rough:**

Max Len: 42 ft; Max Size: 16x16 in

**Steely Lbr Co Inc (181)**

Huntsville, TX

**Main Phone:** (936)295-5898**Contact:** Joni Dobraski**FAX:** (936)295-6737**Sales Phone:** 936-295-5898**Email:** joni@steelylumber.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Boards

Radius Edge Decking

**West Fraser Wood Products Inc (861)**

New Boston, TX

**Main Phone:** (903)628-2506**Contact:** Charles Maness**FAX:** 903-628-2996**Email:** charles.maness@westfraser.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

Prime

**Timbers Dressed:**

Max Len: 20 ft; Max Size: 2 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 2 in

**West Fraser Wood Products Inc (857)**

Henderson, TX

**Main Phone:** (903)655-1100**Contact:** Raymond Mitchell**Sales Phone:** 800-828-2494**Email:** raymond.mitchell@westfraser.com**Drying Methods**

Kiln Dried

**Products**

2" Dimension

## VIRGINIA

### Amelia Lbr Co Inc (623)

Amelia Courthouse, VA

**Main Phone:** (804)561-2155

**Contact:** William Scott, Sales

**FAX:** (804)561-2125

**Email:** williamscott@tds.net

#### Drying Methods

Air Dried

#### Products

2" Dimension                      Boards                      Finish                      Radius Edge Decking

#### Timbers Dressed:

Max Len: 16 ft; Max Size: 6x6 in

#### Timbers Rough:

Max Len: 16 ft; Max Size: 6x6 in

### Anderson Bros Lbr Co Inc (997)

Amelia Court House, VA

**Main Phone:** (804)561-2153

**Contact:** C. Aubrey Anderson, Sales

**FAX:** (804)561-4153

**Email:** andersonlumber@tds.net

#### Drying Methods

Air Dried

#### Preservatives

Copper Azole

#### Products

2" Dimension                      Boards                      Heat Treatment

#### Timbers Dressed:

Max Len: 16 ft; Max Size: 12 in

#### Timbers Rough:

Max Len: 16 ft; Max Size: 6 in

### Arbortech Forest Prods Inc (772)

Blackstone, VA

**Main Phone:** (434)298-0940

**Contact:** Joe Farmer, Sales

**FAX:** (434)298-0941

**Sales Phone:** 434-298-0940

**Email:** arborjoe@embarqmail.com

#### Drying Methods

Kiln Dried

#### Products

2" Dimension                      Heat Treatment                      Radius Edge Decking

#### Timbers Dressed:

Max Len: 16 ft; Max Size: 6x6 in

#### Timbers Rough:

Max Len: 16 ft; Max Size: 6x6 in

### Ball Lumber Company, Inc. (164)

Millers Tavern, VA

**Main Phone:** (804)443-5555

**Contact:** Lewis Ball

**FAX:** (804)443-5395

#### Drying Methods

Kiln Dried

#### Products

2" Dimension                      Boards

**Carlton & Edwards Lbr. Co., LLC (383)**

Saluda, VA

**Main Phone:** 804-758-5100**Contact:** Jamie Edwards  
**Email:** jamie4cedwards@aol.com**FAX:** 804-758-3447**Drying Methods**

Air Dried

**Products**

2" Dimension                      Boards                      Radius Edge Decking

**Chips Inc (771)**

Troy, VA

**Main Phone:** (434)589-2424**Contact:** Joe Farmer, Sales**FAX:** (434)589-2426**Drying Methods**

Kiln Dried

**Products**2" Dimension                      3" & 4" Dimension                      Boards                      Heat Treatment  
Radius Edge Decking**Cloverdale Lbr Co Inc (471)**

Sutherlin, VA

**Main Phone:** (434)822-5017**Contact:** Robert Anderson  
**Email:** cdlc@wildblue.net**FAX:** (434)822-7519**Drying Methods**

Air Dried

**Products**

Radius Edge Decking

**Colonial Forest Products (121)**

Crewe, VA

**Main Phone:** (434)538-0306**Contact:** Al Anderson  
**Sales Phone:** (800)990-2294  
**Sales Fax:** (434)538-0314  
**Email:** cfpl@cononialforest.com**FAX:** (434)538-0314**Drying Methods**

Air Dried

Kiln Dried

**Products**2" Dimension                      3" & 4" Dimension                      Boards                      Finish  
Heat Treatment                      Landscape Timbers                      Plywood                      Poles  
Radius Edge Decking                      Wood Packing Dunnage                      Wood Packing Materials

**Franklin Lumber LLC. (136)**

Franklin, VA

**Main Phone:** 757-304-5200**Contact:** Chuck Buck**Email:** cbuck@franklinlumber.net**Drying Methods**

Kiln Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

Prime

Scaffold Plank Dressed

**Timbers Dressed:**

Max Len: 16 ft; Max Size: 6 X 6 in

**Timbers Rough:**

Max Len: 16 ft; Max Size: 6 X 6 in

**Gibson Lbr Co Inc (015)**

Gretna, VA

**Main Phone:** (434)656-1076**Contact:** Bobby Gibson, Sales**Email:** gibsonlumber@fairpoint.net**Drying Methods**

Air Dried

Kiln Dried

**Products**

2" Dimension

3" &amp; 4" Dimension

Boards

Finish

Prime

Radius Edge Decking

Scaffold Plank Dressed

**Madison Wood Preservers Inc 999 (999)**

Madison, VA

**Main Phone:** (540)948-6801**FAX:** (540)948-3770**Contact:** Mike Tucker, Sales**Email:** madwood@firstva.com**Drying Methods**

Air Dried

**Products**

Boards

Finish

Pattern Stock

**Timbers Dressed:**

Max Len: 12 ft; Max Size: 8 in

**Timbers Rough:**

Max Len: 20 ft; Max Size: 5x5 in

**Morgan Lbr Co Inc (677)**

Red Oak, VA

**Main Phone:** (434)735-8151**FAX:** (434)735-8152**Contact:** John Morgan, Sales**Sales Phone:** 434-735-8151**Email:** john@morganlumber.com**Drying Methods**

Kiln Dried

**Products**

Boards

Radius Edge Decking

**Northern Neck Lbr Co Inc (065)**

Warsaw, VA

**Main Phone:** (804)333-4041**Contact:** Kennon Morris, Sales**FAX:** (804)333-5121**Drying Methods**

Air Dried

Kiln Dried

**Products**

2" Decking

2" Dimension

3" &amp; 4" Dimension

Boards

Finish

Heat Treatment

Prime

Radius Edge Decking

Wood Packing Materials

**Timbers Dressed:**

Max Len: 16 ft; Max Size: 12x12 in

**Timbers Rough:**

Max Len: 16 ft; Max Size: 12x12 in

**R A Yancey Lbr Corp (250)**

Crozet, VA

**Main Phone:** (434)823-4107**FAX:** (434)823-5124**Drying Methods**

Air Dried

Kiln Dried

**Products**

2" Dimension

Boards

Heat Treatment

**Timbers Dressed:**

Max Len: 16 ft; Max Size: 6x6 in

**Timbers Rough:**

Max Len: 16 ft; Max Size: 6x6 in

**Robertson Lbr Inc (377)**

Hurt, VA

**Main Phone:** (434)335-5100**Contact:** Leon Robertson, Sales**FAX:** (434)324-4697**Drying Methods**

Air Dried

**Products**

Boards

**Timbers Dressed:**

Max Len: 16 ft; Max Size: 8x8 in

**Timbers Rough:**

Max Len: 16 ft; Max Size: 6x8 in

**WASHINGTON STATE****Exterior Wood, Inc. (948)**

Washougal, WA

**Main Phone:** 360-835-8561**FAX:** 360-835-8754**Products**

2" Dimension

Boards

Radius Edge Decking

**WISCONSIN**

**Midwest Manufacturing Extrusion (541E)**

Eau Claire, WI

**Main Phone:** 715-876-3390